

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application No.	10/824,933
	Filing Date	April 15, 2004
	First Named Inventor	James R. Braig
	Art Unit	2886
(Multiple sheets used when necessary)	Examiner	Isiaka O. Akanbi
SHEET 1 OF 2	Attorney Docket No.	OPTIS.100A

U.S. PATENT DOCUMENTS					
Examiner Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1	2797149	06-25-1957	Skeggs	
	2	3634039	12-22-1969	Broady	
	3	4151845	05-01-1979	Clemens	
	4	4657529	04-14-1987	Prince et al.	
	5	5165406	11-24-1992	Wong	
	6	5380665	01-10-1995	Cusack et al.	
	7	5697899	12-16-1997	Hillman et al.	
	8	5758643	06-02-1998	Wong et al.	
	9	5817007	10-06-1998	Fodgaard et al.	
	10	5902253	05-11-1999	Pfeiffer et al.	
	11	6017318	06-25-2000	Gauthier	
	12	6040578	03-21-2000	Malin	
	13	6101406	08-08-2000	Hacker et al.	
	14	6262798	07-07-2001	Shepherd et al.	
	15	7115205	10-03-2006	Robinson et al.	
	16	2003/0086075	05-08-2003	Braig et.al.	
	17	2003/0086074	05-08-2003	Braig et al.	
	18	2004/0147034	07-24-2004	Gore et.al.	
	19	2004/0241736	12-02-2004	Hendee et al.	
	20	2004/0249308	12-09-2004	Forssell	
	21	2005/0203360	09-15-2005	Brauker et al.	
	22	2006/0009727	01-12-2006	O'Mahony et al.	
	23	2006/0200070	09-07-2006	Calliccoat et al.	
	24	2006/0229531	10-12-2006	Goldberger et.al.	
	25	2006/0079809	04-13-2006	Goldberger et al.	
	26	2007/0060872	03-15-2007	Hall et al.	
	27	2007/0142720	06-21-2007	Ridder et al.	
	28	2007/0225675	09-27-2007	Robinson et al.	

Examiner Signature	Date Considered
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

T¹ - Place a check mark in this area when an English language Translation is attached.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Application No.	10/824,933
	Filing Date	April 15, 2004
	First Named Inventor	James R. Braig
	Art Unit	2886
(Multiple sheets used when necessary)	Examiner	Isiaka O. Akanbi
SHEET 2 OF 2	Attorney Docket No.	OPTIS.100A

FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹
	29	WO 02/43866	06-06-2002	Burstein Technologies Inc.		
	30	WO 03/016882	02-27-2003	Purdue Research Foundation		
	31	WO 03/039362	05-15-2003	Optiscan Biomedical Corporation		
	32	WO 04/092715 A1	10-28-2004	Optiscan Biomedical Corporation		
	33	WO 05/110601 A1	11-25-2005	Optiscan Biomedical Corporation		

NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ¹
	34	Billman et. al., "Clinical Performance of an In line Ex-Vivo Point of Care Monitor: A Multicenter Study," Clinical Chemistry 48:11, pp. 2030-2043, 2002	
	35	Widness et al., "Clinical Performance on an In-Line Point-of-Care Monitor in Neonates"; Pediatrics, Vol. 106, No. 3, pp. 497-504, September 2000..	
	36	Finkleman et al., "Agreement Between Bedside Blood and Plasma Glucose Measurement in the ICU Setting"; retrieved from http://www.chestjournal.org ; CHEST/127/5/May 2005.	
	37	Berger et al., "An Enhanced Algorithm for Linear Multivariate"; Analytical Chemistry, Vol. 70, No. 3, February 1, 1998.	
	38	Glucon Critical Care Blood Glucose Monitor; Glucon; retrieved from http://www.glucon.com	
	39	Fogt, et al., "Development and Evaluation of a Glucose Analyzer for a Glucose-Controlled Insulin Infusion System (Biostator); Clinical Chemistry, Vol. 24, No. 8, 1978.	

5132273_1
040908

Examiner Signature	Date Considered
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

T¹ - Place a check mark in this area when an English language Translation is attached.